


# NOBLE COUNTY BUILDING DEPARTMENT



2090 N. State Road 9, Suite A  
Albion, Indiana 46701  
Phone: (260) 636-2215  
Fax: (260) 636-6957

## ◆◆◆ REQUIRED INSPECTIONS ◆◆◆

### FOR NEW HOMES, ADDITIONS TO HOMES, GARAGES, ETC.

1. FOOTER INSPECTION: After excavation, before pouring cement. (Footers must be below frost line - 36").
2. FOUNDATION INSPECTION: IF POURED — After forms are set and re-rod is in place, prior to pouring cement.  
IF BLOCK — After blocks are laid.
3. UNDERFLOOR PLUMBING INSPECTION: Prior to pouring slab or floor. (Leave fittings exposed).
4. FLOORS – Basement Floors & Garage Floors (Prior to pouring).
5. ROUGH FRAME: When frame is complete and roof is in place.
6. ROUGH ELECTRICAL INSPECTION: Before enclosing walls with wallboard, paneling, etc.
7. ROUGH PLUMBING INSPECTION: Before enclosing walls with wallboard, paneling, etc.
8. PERMANENT ELECTRICAL SERVICE INSPECTION: Prior to Electric Company Hook-up.
9. GAS LINE INSPECTION: After pressure gauge is put on and holds 10# of pressure for 20 minutes. Prior to Gas Company Hook-up.
10. FINAL INSPECTION: Prior to "Occupancy of Structure".

### FOR ALL AGRICULTURAL BUILDINGS

1. FOOTER INSPECTION: After holes are dug, prior to setting the poles. (Holes must be below frost line - 36" or to design requirements).
2. ROUGH FRAME: When frame is complete and roof is in place.
3. FLOORS – Basement Floors & Garage Floors (Prior to pouring).
4. ROUGH ELECTRICAL INSPECTION: Before enclosing walls with wallboard, paneling, etc.
5. GAS LINE INSPECTION: After pressure gauge is put on and holds 10# of pressure for 20 minutes. Prior to Gas Company Hook-up.
6. PERMANENT ELECTRICAL SERVICE INSPECTION: Prior to Electric Company Hook-up.
7. FINAL INSPECTION: When structure is completed, Prior to "Occupancy of Structure".

### FOR MANUFACTURED HOMES

1. FOOTER INSPECTION: After excavation, before pouring cement. (Footers must be below frost line - 36").
2. FOUNDATION INSPECTION: IF POURED — After forms are set and re-rod is in place, prior to pouring cement.  
IF BLOCK — After blocks are laid and anchoring devices are in place, prior to home being placed.
3. FLOORS – Basement Floors & Garage Floors (Prior to pouring).
4. PERMANENT ELECTRICAL SERVICE INSPECTION: Prior to Electric Company Hook-up.
5. GAS LINE INSPECTION: After pressure gauge is put on and holds 10# of pressure for 20 minutes. Prior to Gas Company Hook-up.
6. FINAL INSPECTION: Prior to "Occupancy of Structure".

◆◆◆ A TWENTY-FOUR (24) HOUR NOTICE IS REQUIRED ON ALL INSPECTIONS. ◆◆◆



ALWAYS CALL BEFORE DIGGING! — HOLEY MOLEY 1-800-382-5544.

